

CERTIFICATE OF ANALYSIS



Customer: HPL Wholesale
3017 Greene St
Hollywood, FL 33020

Batch #: Pangaia
Laboratory Number: ATL-14077

Report Issue Date: 6/27/2023
Order Date: 6/20/2023
Analysis Date: 6/27/2023

Sample Description:
D8 Flower Blue Dream



Extraction Technician: LL
Analytical Chemist: LL

Unit Weight: 1g / Flower

Abraham Yacaman
Laboratory Manager

CANNABINOID PROFILE -15 COUNTS

Analyte	LOQ (mg/g)	Results mg/flower	%
CBDV-A	<0.011	8.170	0.817
CBDV	<0.011	1.180	0.118
CBD-A	<0.008	148.940	14.894
CBG-A	<0.008	4.390	0.439
CBG	<0.007	1.130	0.113
CBD	<0.008	23.670	2.367
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/flower	%
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	2.950	0.295
D8-THC	<0.005	13.460	1.346
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D
CBC	<0.009	2.100	0.210

Analyte	LOQ (mg/g)	Results mg/flower	%
CBC-A	<0.005	6.680	0.668
THC-A	<0.03	4.110	0.411

Max Active THC	mg/flower	%
	6.55	0.66

Total Active Cannabinoids	mg/flower	%
	195.51	19.55

Max Active CBD	mg/flower	%
	154.29	15.43

Total Cannabinoids	mg/flower	%
	216.78	21.68

NOTES

Blank space for notes.

Cannabidiol (CBD) Cannabidiol (CBDV) Cannabidiol (CBD) Cannabidiol (CBD) Cannabidiol (CBD) Cannabidiol (CBD)
Tetrahydrocannabinol (THC) Tetrahydrocannabinol (THC) Tetrahydrocannabinol (THC) Tetrahydrocannabinol (THC) Tetrahydrocannabinol (THC)
9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromene Acid(CBCA)
Tetrahydrocannabinolic Acid (THCA)

Document ID: ATL-225 Revision: 03 Effective Date: 5/16/2023



Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

CERTIFICATE OF ANALYSIS



Customer: HPL Wholesale
3017 Greene St
Hollywood, FL 33020

Batch #: Pangaia
Laboratory Number: ATL-14077

Report Issue Date: 6/28/2023
Order Date: 6/20/2023
Analysis Date: 6/27/2023

Sample Description:
D8 Flower Blue Dream



Extraction Technician: LL
Analytical Chemist: LL

Unit Weight: 1g / Flower

Abraham Gacaman
Laboratory Manager

FILTH & FOREIGN MATERIALS PROFILE

Filth & Foreign Materials	% Detected by Weight	Allowable Criteria	PASS / FAIL
Mold / Mildew / Fungus	ND	<1% By Weight	PASS
Hair	ND	<1% By Weight	PASS
Insects	ND	<1% By Weight	PASS
Feces	ND	<0.5%By Weight	PASS
Packaging Contaminants	ND	<1% By Weight	PASS
Other	ND		NA

NOTES



CERTIFICATE OF ANALYSIS



Customer: HPL Wholesale
3017 Greene St
Hollywood, FL 33020

Batch #: Pangaia
Laboratory Number: ATL-14077

Report Issue Date: 6/28/2023
Order Date: 6/20/2023
Analysis Date: 6/27/2023

Sample Description:
D8 Flower Blue Dream



Extraction Technician: AY
Analytical Chemist: AY

Unit Weight: 1g / Flower

Abraham Gacaman
Laboratory Manager

MICROBIOLOGY ANALYSIS

Microbe(s)	CFU Detected	Limit of Detection (CFU/g)	CFU/g	PASS / FAIL
Total Aerobic Bacteria	NT	10	NT	NT
Yeast and Mold	<LOD	10	<LOD	PASS
Enterobacteriaceae	NT	10	NT	NT
Staph. Aureus	NT	10	NT	NT

NOTES



Document ID: ATL-235 Revision: 01 Effective Date: 05/13/2022

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

TNTC: Too numerous to count - ND: Not Detected - NA: Not Applicable - CFU: Colony-forming unit 1-Pass/Fail criteria based on CML sample testing Florida Department of Health Emergency Rule for 2020, Pass: Results within limits /specifications, Fail: Results exceed limits/specifications Accurate Test Lab estimated expanded uncertainty(CFU/g): -Aerobic Plate Count:10 -Staphylococcus Aureus:4 - Yeast:4 - Mold:2 - Enterobacteriaceae:6. Analysis Method: ATL-PHI-002

CERTIFICATE OF ANALYSIS



Customer: HPL Wholesale
3017 Greene St
Hollywood, FL 33020

Batch #: Pangaia
Laboratory Number: ATL-14077

Report Issue Date: 6/26/2023
Order Date: 6/20/2023
Analysis Date: 6/26/2023

Sample Description:
D8 Flower Blue dream



Extraction Technician: AA
Analytical Chemist: AA

Unit Weight: 1g / Flower

Abraham Cfacaman
Laboratory Manager

RESIDUAL SOLVENTS PROFILE

Analyte	Concentration (PPM)	Action Limit (PPM)	PASS/FAIL
1-1 Dichloroethene	<LOQ	8	PASS
1-2 Dichloroethane	<LOQ	2	PASS
Acetone	<LOQ	750	PASS
Acetonitrile	<LOQ	60	PASS
Benzene	<LOQ	1	PASS
Butane	<LOQ	5000	PASS
Chloroform	<LOQ	2	PASS
Ethyl Acetate	35.60	400	PASS
Ethyl Alcohol	1627.79	5000	PASS
Ethyl Ether	<LOQ	500	PASS
Ethylene Oxide	<LOQ	5	PASS
n-Heptane	<LOQ	5000	PASS
n-Hexane	<LOQ	250	PASS
Isopropyl Alcohol	<LOQ	500	PASS
Methyl Alcohol	<LOQ	250	PASS
Methylene Chloride	<LOQ	125	PASS
n-Pentane	<LOQ	750	PASS
Propane	<LOQ	5000	PASS
Toluene	<LOQ	150	PASS
Trichloroethylene	<LOQ	25	PASS
Xylenes	<LOQ	150	PASS

NOTES

Document ID: ATL-230 Revision: 01 Effective Date: 05/13/2022

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-GCM-001

1-Pass/Fail statement is based on Florida Department of Health, Rule No 64ER-20-39. Accurate Test Lab estimated expanded uncertainty is 25%, Following NIST, EURACHEM & CITAC guidelines.



CERTIFICATE OF ANALYSIS



Customer: HPL Wholesale
3017 Greene St
Hollywood, FL 33020

Batch #: Pangaia
Laboratory Number: ATL-14077

Report Issue Date: 6/26/2023
Order Date: 6/20/2023
Analysis Date: 6/26/2023

Sample Description:
D8 Flower Blue dream



Extraction Technician: AA
Analytical Chemist: AA

Unit Weight: 1g / Flower

Abraham Giacaman
Laboratory Manager

PESTICIDES PROFILE

Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL	Analyte	RESULT	PASS/FAIL
Acephate-	ND	PASS	Ethoprophos	ND	PASS	Pyrethrins	ND	PASS
Acequinocyl	ND	PASS	Etofenprox	ND	PASS	Pyridaben	ND	PASS
Acetamiprid	ND	PASS	Etoxazole	ND	PASS	Spiroxamine	ND	PASS
Azoxystrobin	ND	PASS	Fenoxycarb	ND	PASS	Tebuconazole	ND	PASS
Bifenazate	NT	-	Fipronil	ND	PASS	Thiacloprid	ND	PASS
Bifenthrin-	ND	PASS	Fludioxonil	ND	PASS	Thiamethoxam	ND	PASS
Boscalid	ND	PASS	Imazalil	ND	PASS	Trifloxystrobin	ND	PASS
Captan	ND	PASS	Kresoxim-methyl	ND	PASS			
Carbaryl	ND	PASS	Malathion	ND	PASS			
Carbofuran	ND	PASS	Metaxyl	ND	PASS			
Chlorantraniliprole	ND	PASS	Methiocard	ND	PASS			
Chlordane	ND	PASS	Methyl Parathion	ND	PASS			
Chlorfenapyr	ND	PASS	Mevinphos	ND	PASS			
Chlorpyrifos	ND	PASS	Myclobutanil	ND	PASS			
Clofentezine	ND	PASS	Naled	ND	PASS			
Coumaphos	ND	PASS	Paclobutrazol	ND	PASS			
Cyfluthrin	ND	PASS	Pentachloronitrobenzene	ND	PASS			
Cypermethrin	ND	PASS	Permethrin	ND	PASS			
Diazinon	ND	PASS	Phosmet-	NT	-			
Dichlorvos	ND	PASS	Piperonyl butoxide-	ND	PASS			
Dimethoate	ND	PASS	Propiconazole	ND	PASS			
Dimethomorph	ND	PASS	Propoxur	ND	PASS			

NOTES

Bifenazate, Phosmet Not tested due to sample interference.



Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC. N/D: Not Detected T: Trace Cannabinoids detected but are below limit of quantification.

1-California Code of Regulations, Title 16, Section 5719. ND: Not Detected - NT: Not Tested