

# CERTIFICATE OF ANALYSIS



Elite Products / Pangaia  
**Customer:** 8411 West Oakland Park Blvd  
 Sunrise, FL 33351

**Batch #:** BWDS0923  
**Laboratory Number:** ATL-19975

**Report Issue Date:** 4/2/2024  
**Order Date:** 3/29/2024  
**Analysis Date:** 4/2/2024

**Sample Description:**

CBD Diamond Sauce - berry white

**Unit Weight:** 1g / Dab



**Extraction Technician:** LL  
**Analytical Chemist:** LL

*Kim Dang*  
 Laboratory Manager

## CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results (mg/dab)	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	N/D	N/D
CBG-A	<0.008	N/D	N/D
CBG	<0.007	N/D	N/D
CBD	<0.008	958.900	95.890
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results (mg/dab)	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	N/D	N/D
D8-THC	<0.005	N/D	N/D
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results (mg/dab)	%
CBC	<0.009	N/D	N/D
CBC-A	<0.005	N/D	N/D
THC-A	<0.005	N/D	N/D

<b>Max Active THC</b>	mg/dab	%
	N/D	N/D

<b>Total Active Cannabinoids</b>	mg/dab	%
	958.90	95.89

<b>Max Active CBD</b>	mg/dab	%
	958.90	95.89

<b>Total Cannabinoids</b>	mg/dab	%
	958.90	95.89

## NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDLA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD)  
 Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC)  
 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA)  
 Tetrahydrocannabinolic Acid(THCA)



Document ID: ATL-225 Revision: 05 Effective Date:10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification  
 Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)